

Feb. 3, 2020

Product Bulletin # TDS-212 v 1.0

Washpipe Assembly, 3 in Bore, 7.5K

Canrig Drilling Technology has developed a new washpipe available for use in either a Canrig or Tesco Top Drive with a 3 in. fluid passage and 7,500 psi rating (See Figure 1 and Figure 2). This new washpipe is offered in the following 4 options:

- Regular Service (RS): For routine drilling operations.
- Extended Service (ES): For routine drilling operations, but allows for the reuse of the washpipe during packing change.
- Severe Service 1 (SS-1): High pressure and high RPM applications up to 398 RPM.
- Severe Service 2 (SS-2): High pressure and high RPM applications up to 417 RPM.



Figure 1: Canrig Washpipe Assembly



Figure 2: Tesco Washpipe Assembly



Model: All
Serial #: N/A
Feb. 3, 2020

New Washpipe Features include:

- Taller lower nut with an additional spacer to pre-energize and lock the outer diameter of the packing rings (offered on Regular Service, Extended Service, and Severe Service options).
- New washpipe barrel has an improved wear surface for longer service life (offered on Extended Service and Severe Service options).
- New packing rings include a special low-friction enhancement on its internal diameter to improve performance and reduce start up friction (offered on Severe Service option only).
- Lower and upper nut only requires a hand tool, round bar, for installation (offered on Regular Service, Extended Service, and Severe Service options).

New Washpipe Benefits

- The use of hand tools for tightening or loosening the washpipe assembly reduces operational time for washpipe packing replacement.
- Eliminating the use of hammer on this washpipe installation offers a safer product, reduced safety risk and cost associated with occupational injuries.
- New washpipe barrel designed for higher rotational speeds and longer service life (offered only on Extended Service and Severe Service options).



Feb. 3, 2020




Figure 3: Washpipe Assembly Cross-section



Feb. 3, 2020




Figure 4: Washpipe Assembly Cross-section



Feb. 3, 2020

Contact RIGLINE 24/ 7^{TM} Support to order the new washpipe. Use the tables below to order correct assemblies and spare parts.

CANRIG Washpipes Washpipe Assembly, 3 in. Bore, 7.5 ksi, WP-3						
Application	For routine drilling operations	Allows reuse of the washpipe during a packing change	High Pressure / High RPM application			
Service	Regular (RS)	Extended (ES)	Severe 1 (SS-1)	Severe 2 (SS-2)		
Assembly w/Tool Kit	AY23110-1	AY22862-1	AY24096-1	AY23108-1		
Barrel	DT17943	DT36195	DT36195	DT36195		
Packing Canrig P/N	UTEX 0730 R01-1002-040	UTEX 0730 R01-1002-040	UTEX 0734 R10499	UTEX 0738 R10451		
Spare Kit	AY23111	AY22870	AY24097	AY23109		

TESCO Washpipes Washpipe Assembly, 3 in. Bore, 7.5 ksi, WP-3						
Application	Allows reuse of the washpipe during a packing change	High Pressure / High RPM application				
Service	Extended (ES)	Severe 1 (SS-1)	Severe 2 (SS-2)			
Assembly w/Tool Kit	AY24150-1	AY24152-1	AY24154-1			
Barrel	DT24752	DT24752	DT24752			
Packing Canrig P/N	UTEX 0730 R01-1002-040	UTEX 0734 R10499	UTEX 0738 R10451			
Spare Kit	AY24151	AY24153	AY24155			